

ENDURO / ADVENTURE



RECOMMENDED OIL
MOTUL

MADE IN ITALY

MOTORCYCLES

 swmmotorcycles.com.au

 [swmaustralia](https://www.facebook.com/swmaustralia)

 [swmaustralia](https://www.instagram.com/swmaustralia)

SWM

WHERE IT ALL BEGAN

SWM Motorcycles was formed in Milan, Italy in 1971 by two off-road racers. The model range initially consisted of 3 models – 50cc, 100cc, 125cc powered by Sachs engines.

The company enjoyed success in off road racing claiming the 125cc Italian Motocross title and a bronze medal in the European 125cc Endurance class. The company went on to produce a range of motorcycles until it ceased production in 1984.



DAWN OF A NEW ERA

SWM has re-emerged as a result of a new partnership between Apelio Macchi and Daxing Gong.

Macchi worked previously as the Technical Manager for Cagiva, Aprilia and finally Husqvarna where he obtained 51 world titles (46 with Husky, 5 with Aprilia). Included in these world titles was one for Australia's own Stefan Merriman.

Gong is a successful Chinese businessman and the head of Shineray group. Shineray is a large-scale manufacturer of two and four wheel vehicles as well as industrial products in China.

The majority of SWM staff are ex Husqvarna staff who previously worked under Macchi.

RECOMMENDED LUBRICANT
MOTUL



MADE IN ITALY

Macchi now oversees production at SWM's manufacturing facility in Lombardia, Italy. Formally occupied by Husqvarna, the plant recently benefited from a major refurbishment under the watch of BMW prior to the sale of Husqvarna to KTM.



SWM TODAY

SWM officially announced the revival of the brand at EICMA 2014. Production quickly commenced after the event with production of the first RS650's taking place in July 2015.

Since 2015 SWM has been quick to gear up production and today manufactures and distributes globally over 10 different models from 125cc to 600cc and models specifically designed for the Enduro, Adventure and Retro/Classic markets.

RS 300R

ENDURO

The Clark Kent of the trails. The RS 300R is mild mannered, sleek and capable. The often-underrated mid-size thumper more-often-than-not makes a big impression in the cold hard light of day. This is the bike anyone can ride yet everyone can enjoy. The smooth power delivery churns out enough poke to take on any trail situation without asking too much from the rider. The six-speed transmission and plush KYB suspension enable the RS 300R to be versatile enough for exploring forest trails or attacking aggressive hills. Mild manners with a brave heart.



MADE IN ITALY

SPECIFICATIONS

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	297.6cc
BORE & STROKE	83 x 55mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	48mm USD Kayaba fork
REAR SUSPENSION	Kayaba shock
FRONT WHEEL	21-inch - 90/90
REAR WHEEL	18-inch - 140/80
BRAKES	Hydraulic Brembo. Front: 260mm, Rear: 240mm
SEAT HEIGHT	963mm
WHEEL BASE	1495mm
FUEL CAPACITY	7.2-litres
WEIGHT	107kg
WARRANTY	6 months parts and labour

MIKUNI
EFI

BREMBO
BRAKES

KYB
SUSPENSION



RS 500R

ENDURO

The RS 500R takes on the big stuff without all the fuss. Real big-bore four-stroke power that's capable of thundering along trails, carving across the desert and galloping across mountainous tracks is where the RS 500R delivers. Tough and reliable yet comfortable for long hours in the saddle. The RS 500R shines when horsepower is king and compliant suspension and handling are the order of the pilot.



MADE IN ITALY

SPECIFICATIONS

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	501cc
BORE & STROKE	97 x 67.8mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	48mm USD Kayaba fork
REAR SUSPENSION	Kayaba shock
FRONT WHEEL	21-inch - 90/90
REAR WHEEL	18-inch - 140/80
BRAKES	Hydraulic Brembo. Front: 260mm, Rear: 240mm
SEAT HEIGHT	963mm
WHEEL BASE	1495mm
FUEL CAPACITY	7.2-litres
WEIGHT	112kg
WARRANTY	6 months parts and labour

MIKUNI
EFI

BREMBO
BRAKES

KYB
SUSPENSION



SUPERDUAL T

ADVENTURE

Adventure capabilities coupled with street smarts, the Superdual T presents the best of both worlds. The powerful and reliable 600cc EFI single-cylinder engine and six-speed transmission allow for daily commuter to weekend adventure seeker. The Superdual T presents unlimited dual-sport possibilities. The 19/17-inch wheel combination offers precise street performance and highway cruising with seamless transition to country trails and off-road tracks. With the Superdual T, you truly can build your own adventure.



MADE IN ITALY

SPECIFICATIONS

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	600cc
BORE & STROKE	100 x 76.4mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	45mm USD Fastace fork
REAR SUSPENSION	Sachs adjustable shock
FRONT WHEEL	19inch - 110/80
REAR WHEEL	17-inch - 140/80
BRAKES	Brembo. 300mm front disc. 240mm rear disc. Switchable ABS.
SEAT HEIGHT	890mm
WHEEL BASE	1495mm
FUEL CAPACITY	18 litres
WEIGHT	169kg
WARRANTY	24 months or 20,000kms parts and labour

* Comes with pannier racks as standard. Pannier set is available as an optional extra

MIKUNI
EFI

BREMBO
BRAKES

18 LITRES
FUEL
CAPACITY

SWITCHABLE
ABS

WHEEL SET
17/19

AVAILABLE
FULL POWER OR
LAMS APPROVED



SUPERDUAL X

ADVENTURE

Enduro bike DNA coupled with adventure bike styling, the Superdual X opens up a whole new world of adventure riding possibilities. Adjustable suspension, 18-liter fuel tank, six-speed transmission, 21/18-inch wheels and just the right amount of power from the 600cc EFI single-cylinder engine is the perfect mix for riders who seek adventure off-road and beyond. Adventure awaits and life is for living. The Superdual X will take you where you want go, presenting adventure riding opportunities that others can only dream about. This is an adventure bike built for comfort that behaves like a dirt bike in the dirt. Adventure has a new name.



MADE IN ITALY

SPECIFICATIONS

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	600cc
BORE & STROKE	100 x 76.4mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	45mm USD Fastace fork
REAR SUSPENSION	Sachs adjustable shock
FRONT WHEEL	21inch - with Metzeler Sahara 3 tyres
REAR WHEEL	18-inch - with Metzeler Sahara 3 tyres
BRAKES	Brembo. 300mm front disc. 240mm rear disc. Switchable ABS.
SEAT HEIGHT	890mm
WHEEL BASE	1495mm
FUEL CAPACITY	18 litres
WEIGHT	169kg
WARRANTY	24 months or 20,000kms parts and labour

* Comes with pannier racks as standard. Pannier set is available as an optional extra

MIKUNI
EFI

BREMBO
BRAKES

18 LITRES
FUEL
CAPACITY

SWITCHABLE
ABS

WHEEL SET
18/21

AVAILABLE
FULL POWER OR
LAMS APPROVED



SWM SPARE PARTS & ACCESSORIES

For the best performance, quality and reliability you can trust, use genuine SWM Parts and Accessories. For further information on what works best for your riding application get in touch with an authorised dealer today and get the most out of your SWM Motorcycle.

MADE IN ITALY



SPECIFICATIONS

RS 300R

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	297.6cc
BORE & STROKE	83 x 55mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	48mm USD Kayaba fork
REAR SUSPENSION	Kayaba shock
FRONT WHEEL	21-inch - 90/90
REAR WHEEL	18-inch - 140/80
BRAKES	Hydraulic Brembo. Front: 260mm, Rear: 240mm
SEAT HEIGHT	963mm
WHEEL BASE	1495mm
FUEL CAPACITY	7.2-litres
WEIGHT	107kg
WARRANTY	6 months parts and labour

RS 500R

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	501cc
BORE & STROKE	97 x 67.8mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	48mm USD Kayaba fork
REAR SUSPENSION	Kayaba shock
FRONT WHEEL	21-inch - 90/90
REAR WHEEL	18-inch - 140/80
BRAKES	Hydraulic Brembo. Front: 260mm, Rear: 240mm
SEAT HEIGHT	963mm
WHEEL BASE	1495mm
FUEL CAPACITY	7.2-litres
WEIGHT	112kg
WARRANTY	6 months parts and labour

SUPERDUAL T

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	600cc
BORE & STROKE	100 x 76.4mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	45mm USD Fastace fork
REAR SUSPENSION	Sachs adjustable shock
FRONT WHEEL	19-inch - 110/80
REAR WHEEL	17-inch - 140/80
BRAKES	Brembo. 300mm front disc. 240mm rear disc. Switchable ABS.
SEAT HEIGHT	890mm
WHEEL BASE	1495mm
FUEL CAPACITY	18 litres
WEIGHT	169kg
WARRANTY	24 months or 20,000kms parts and labour

SUPERDUAL X

ENGINE	Liquid-cooled DOHC 4-valve single cylinder four-stroke
CAPACITY	600cc
BORE & STROKE	100 x 76.4mm
TRANSMISSION	6-Speed
CLUTCH	Wet multi-plate with hydraulic control
IGNITION	GET
FUEL SYSTEM	Mikuni D42 EFI
START	Electric
FRONT SUSPENSION	45mm USD Fastace fork
REAR SUSPENSION	Sachs adjustable shock
FRONT WHEEL	21-inch - with Metzeler Sahara 3 tyres
REAR WHEEL	18-inch - with Metzeler Sahara 3 tyres
BRAKES	Brembo. 300mm front disc. 240mm rear disc. Switchable ABS.
SEAT HEIGHT	890mm
WHEEL BASE	1495mm
FUEL CAPACITY	18 litres
WEIGHT	169kg
WARRANTY	24 months or 20,000kms parts and labour



MADE IN ITALY





MADE IN ITALY

While Mojo Motorcycles have tried to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised that the equipment shown or described in this catalogue may have been changed and/or is available at extra cost. Further, Mojo Motorcycles, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models.

SWM Dealers have access to current vehicle information and should be consulted with before making decisions on your new SWM vehicle.

Warranties offered for SWM products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from SWM upon request.

RECOMMENDED LUBRICANT
MOTUL

PROUDLY DISTRIBUTED BY

